

# Syntactic Analysis

Reinhard Wilhelm, Sebastian Hack, Mooly Sagiv  
Saarland University, Tel Aviv University

27. Oktober 2015

Saarland University, Computer Science

# Syntactic Analysis: Topics

- Introduction
  - The task of syntax analysis
  - Automatic generation
  - Error handling
- Context free grammars, derivations, and parse trees
- Grammar Flow Analysis
- Pushdown automata
- Top-down syntax analysis
- Bottom-up syntax analysis

# Syntax Analysis (Parsing)

- Functionality

  - Input Sequence of symbols (tokens)

  - Output Parse tree

- Report syntax errors, e.g., unbalanced parentheses
- Create “pretty-printed” version of the program (sometimes)
- In some cases the tree need not be generated (one-pass compilers)

# Handling Syntax Errors

- Report and locate the error (symptom)
- Diagnose the error
- Correct the error
- Recover from the error in order to discover more errors (without reporting errors caused by others)

## Example

$a := a * (b + c * d;$

## Error Diagnosis Data

- Line number (may be far from the actual error)
- The current symbol
- The symbols expected in the current parser state
- Parser configuration

## Example Context Free Grammar (Section)

Stat	→	If_Stat   While_Stat   Repeat_Stat   Proc_Call   Assignment
If_Stat	→	<b>if</b> Cond <b>then</b> Stat_Seq <b>else</b> Stat_Seq <b>fi</b>   <b>if</b> Cond <b>then</b> Stat_Seq <b>fi</b>
While_Stat	→	<b>while</b> Cond <b>do</b> Stat_Seq <b>od</b>
Repeat_Stat	→	<b>repeat</b> Stat_Seq <b>until</b> Cond
Proc_Call	→	Name ( Expr_Seq )
Assignment	→	Name := Expr
Stat_Seq	→	Stat   Stat_Seq; Stat
Expr_Seq	→	Expr   Expr_Seq, Expr

## Context-Free-Grammar Definition

A **context-free-grammar** is a quadruple  $G = (V_N, V_T, P, S)$  where:

- $V_N$  — finite set of **nonterminals**
- $V_T$  — finite set of **terminals**
- $P \subseteq V_N \times (V_N \cup V_T)^*$  — finite set of **production rules**
- $S \in V_N$  — the **start nonterminal**

## Examples

$$G_0 = (\{E, T, F\}, \{+, *, (, ), \mathbf{id}\}, P_0, E)$$

$$P_0 = \left\{ \begin{array}{l} E \rightarrow E + T \mid T \\ T \rightarrow T * F \mid F \\ F \rightarrow (E) \mid \mathbf{id} \end{array} \right\}$$

$$G_1 = (\{E\}, \{+, *, (, ), \mathbf{id}\}, P_1, E)$$

$$P_1 = \{E \rightarrow E + E \mid E * E \mid (E) \mid \mathbf{id}\}$$

# Derivations

A context-free-grammar  $G = (V_N, V_T, P, S)$

■  $\varphi \Longrightarrow \psi$

if there exist  $\varphi_1, \varphi_2 \in (V_N \cup V_T)^*$ ,  $A \in V_N$

-  $\varphi \equiv \varphi_1 A \varphi_2$

-  $A \rightarrow \alpha \in P$

-  $\psi \equiv \varphi_1 \alpha \varphi_2$

■  $\varphi \xRightarrow{*} \psi$  reflexive transitive closure

■ The language defined by  $G$

$$L(G) = \{w \in V_T^* \mid S \xRightarrow{*} w\}$$

# Reduced and Extended Context Free Grammars

A nonterminal  $A$  is

**reachable:** There exist  $\varphi_1, \varphi_2$  such that  $S \xRightarrow{*} \varphi_1 A \varphi_2$

**productive:** There exists  $w \in V_T^*$ ,  $A \xRightarrow{*} w$

Removal of unreachable and non-productive nonterminals and the productions they occur in doesn't change the defined language.

A grammar is **reduced** if it has neither unreachable nor non-productive nonterminals.





A grammar is **extended** if a new startsymbol  $S'$  and a new production  $S' \rightarrow S$  are added to the grammar.

From now on, we only consider reduced and extended grammars.

## Syntax-Tree (Parse-Tree)

- An ordered tree.
- Root is labeled with  $S$ .
- Internal nodes are labeled by nonterminals.
- Leaves are labeled by terminals or by  $\varepsilon$ .
- For internal nodes  $n$ : Is  $n$  labeled by  $N$  and are its children  $n.1, \dots, n.n_p$  labeled by  $N_1, \dots, N_{n_p}$ , then  $N \rightarrow N_1, \dots, N_{n_p} \in P$ .

# Examples



# Leftmost (Rightmost) Derivations

Given a context-free grammar  $G = (V_N, V_T, P, S)$

■  $\varphi \xRightarrow{lm} \psi$  if there exist  $\varphi_1 \in V_T^*$ ,  $\varphi_2 \in (V_N \cup V_T)^*$ , and  $A \in V_N$

-  $\varphi \equiv \varphi_1 A \varphi_2$

-  $A \rightarrow \alpha \in P$

-  $\psi \equiv \varphi_1 \alpha \varphi_2$

replace **leftmost** nonterminal

■  $\varphi \xRightarrow{rm} \psi$  if there exist  $\varphi_2 \in V_T^*$ ,  $\varphi_1 \in (V_N \cup V_T)^*$ , and  $A \in V_N$

-  $\varphi \equiv \varphi_1 A \varphi_2$

-  $A \rightarrow \alpha \in P$

-  $\psi \equiv \varphi_1 \alpha \varphi_2$

replace **rightmost** nonterminal

■  $\varphi \xRightarrow{lm}^* \psi$ ,  $\varphi \xRightarrow{rm}^* \psi$  are defined as usual

# Ambiguous Grammar

A grammar that has (equivalently)

- two leftmost derivations for the same string,
- two rightmost derivations for the same string,
- two syntax trees for the same string.